



Sheet <u>1</u> of <u>1</u>

Attorney's Docket No. 07043-103001 Application No. 09/994,280

Attorney's Docket No. 09/994,280

Attorney's Docket No. 09/994,280

Applicant George M. Dougherty

Filing Date November 26, 2001

Filing Date November 26, 2001

| | U.S. Patent Documents | | | | | | |
|------------------|-----------------------|------------------|------------|---------------|-------|----------|----------------------------|
| Examiner Initial | Desig. ID | Patent Number | Issue Date | Patentee | Class | Subclass | Filing Date If Appropriate |
| RMC | AA | 5,651,900 | 07/29/1997 | Keller et al. | 216 | 56 | 03/07/94 |
| PUL | AB | 4,801,380 | 01/31/1989 | Parket et al. | 210 | 500.21 | 12/23/87 |
| | AC | | | | | | |
| | AD | | | | | | |
| | AE | | | | | | |
| | AF | | | - | | | |
| | AG | | | | | | |
| | AH | | | | | | |
| | AI | | | | | | |
| | AJ | | | | | | |
| - | AK | | | | | | |

| Foreign Patent Documents or Published Foreign Patent Applications | | | | | | | | |
|---|--------|----------|-------------|---------------|-------|----------|-------|--------|
| Examiner | Desig. | Document | Publication | Country or | | | Trans | lation |
| Initial | ID | Number | Date | Patent Office | Class | Subclass | Yes | No |
| | AL | | | | | | | |
| | AM | | | | | | | |
| | AN | | | | | | | |
| | AO | | | | | | | |
| | AP | | | | | | | |

| | Other Documents (include Author, Title, Date, and Place of Publication) | | | | |
|----------|---|---|--|--|--|
| Examiner | Desig. | | | | |
| Initial | ID | Document | | | |
| RIN | AQ | Wen-Hwa Chu; Ferrari, M.; "Silicon Nanofilter with Absolute Pore Size and High Mechanical Strength"; 1995; SPIE-Int. Soc. Opt. Eng., Vol. 2593, p. 9-20 | | | |
| Run | AR | G. Kittisland; G. Stemme; "A Sub-micron Particle Filter in Silicon"; 1990; Sensors and Actuators, A21-A23, pp. 904-907 | | | |
| | AS | | | | |
| | AT | | | | |

| Examiner Signature | Date Considered , |
|---|--|
| | |
| Kauk Allanilia | 1/12/2003 |
| Keys N. Idouppan | 1/ 66/2003 |
| EXAMINER: initials citation considered. Draw line through citation if n | ot in conformance and not considered. Include conv of this form with |
| | of in conformance and not considered, include copy of this form with |
| next communication to applicant. | |

| | Substitute Form PTO-1449 | U.S. Department of Commerce Patent and Trademark Office | Attorney's Docket No. 07043-103001 | Application No. 09/994,280 | |
|----------|---|--|------------------------------------|----------------------------|--|
| / | Information Disclosure Statement by Applicant | | Applicant George M. Dougherty | | |
| Ż | 007 0 7 2002 Hujse several | sheets if necessary) | Filing Date November 26, 2001 | Group Art Unit 2812 | |

| U.S. Patent Documents | | | | | | | |
|---------------------------------------|--------------|------------------|------------|----------|-------|----------|----------------------------|
| Examiner Initial | Desig. ID | Patent Number | Issue Date | Patentee | Class | Subclass | Filing Date If Appropriate |
| | AA | | | | | | |
| | AB | | | | | | |
| · · · · · · · · · · · · · · · · · · · | AC | | | | | | |
| | AD | | | | | | |
| | AE | | | | | | |
| | AF | _ | | | | | |
| | AG | | | | | | |
| | AH | | | | | | |
| | AI | | | | | | |
| | AJ | | | | | | |
| | AK | | | | | | |

| | Foreign Patent Documents or Published Foreign Patent Applications | | | | | | | |
|----------|---|----------|-------------|---------------|-------|----------|-------|--------|
| Examiner | Desig. | Document | Publication | Country or | | | Trans | lation |
| Initial | ID | Number | Date | Patent Office | Class | Subclass | Yes | No |
| | AL | | | | | | | , |
| | AM | | | | | | | |
| | AN | | | | | | | _ |
| | AO | | | | | | | - |
| | AP | | | | | | | |

| Other Documents (include Author, Title, Date, and Place of Publication) | | | | |
|---|--------|--|--|--|
| Examiner | Desig. | | | |
| Initial | ID | Document | | |
| PNR | AQ | S. Sugiyama, T. Suzuki, K. Kawahata, K. Shimaoka, M. Takigawa, and I. Igarashi, "Micro-diaphragm Pressure Sensor," Proc. IEEE International Electron Devices Mtg., Los Angeles, CA, December 7-10 1986, pp. 184-7. | | |
| PANR | AR | C.H. Mastrangelo and R.S. Muller, "Vacuum-sealed Silicon Micromachined Incandescent Light Source," Proc. IEEE International Electron Devices Mtg., San Francisco, CA, December 3-6 1989, pp. 503-6. | | |
| 1241- | AS | M.W. Judy and R. T. Howe, "Polysilicon Hollow Beam Lateral Resonators," Proc. Of the IEEE Micro Electro Mechanical Systems Workshop, Ft. Lauderdale, FL, Feb. 1-10, 1993, pp. 265-271. | | |

| 7 | Date Considered / |
|-------------------------------|--|
| | 1/22/2003 |
| | |
| w line through citation if no | ot in conformance and not considered. Include copy of this form with |
| V | |
| | Substitute Disclosure Form (PTO-1449) |
| | outh our virough citation if no |

| Substitute Form PTO-1449 (Modified) | U.S. Department of Commerce Patent and Trademark Office | Attorney's Docket No. 07043-103001 | Application No. 09/994,280 | |
|-------------------------------------|--|------------------------------------|----------------------------|--|
| by Ap | closure Statement | Applicant George M. Dougherty | | |
| OST 17 2007 | eets if necessary) | Filing Date November 26, 2001 | Group Art Unit 2812 | |

| | ther D | ocuments (include Author, Title, Date, and Place of Publication) |
|----------|--------|--|
| Examiner | Desig. | |
| Initial | ID _ | Document |
| RONZ | AT | K.S. Lebouitz, R.T. Howe, and A.P. Pisano, "Permeable Polysilicon Etch-Access Windows for Microshell Fabrication," Proc. Of the 8 th International Conference on Solid-State Sensors and Actuators (Transducers '95), IEEE Stockholm, Sweden, June 25-29, 1995, vol. 1, pp. 224-7. |
| Par | AU | K. S. Lebouitz, A. Mazaheri, R.T. Howe and A.P. Pisano, "Vacuum Encapsulation of Resonant Devices Using Permeable Polysilicon," Proc. 12 th International IEEE Conference on Micro Electro Mechanical Systems (MEMS '99), Orlando, FL, pp. 470-5. |
| Ran | AV | Y. Kageyama, T. Tsuchiya, H. Funabashi, and J. Sakata, "Resonating Micro Structures in Microshells with HF Permeable Polycrystalline Silicon and Vacuum Sealing Thin Films," Proc. Of the 10 th International Conference on Solid-State Sensors and Actuators (Transducers '99), IEEE, pp. 340-3. |
| PAUR | AW | M. Chonko, D. Vandenberg, and D. Keitz, "The Integrity of Very Thin Silicon Films Deposited on SiO ₂ ," in The Physics and Chemistry of SiO ₂ and the Si-SiO ₂ Interface 2; C.R. Helms and B.E. Deal, eds. Plenum, New York, 1993, pp. 357-362. |
| Rowe | AX | R. I. Hedge, M.A. Chonko and P.J. Tobin, "Microstructure and Integrity of Thin Silicon Films on SiO ₂ After Immersion in 10:1 Buffered HF," Amorphous Silicon Technology, Materials Research Society Proc. Vol. 297, April 13-16 1993, pp. 1037-1042. |
| PAUR | AY | D. J. Monk, P. Krulevitch, R.T. Howe, and G.C. Johnson, "Stress-Corrosion Cracking and Blistering of Thin Polycrystalline Silicon Films in Hydrofluoric Acid," Thin Films: Stresses and Mechanical Properties, Materials Research Society Proc. Vol. 308, April 12-16, 1993, pp. 641-646. |
| PUR | AZ | J. Zahn, D. Trebotich and D. Liepmann, "Microfabricated Microdialysis Microneedles for Continuous Medical Monitoring," Proc. First Annual IEEE-EMBS Conf. On Microtech. In Med. And Biology, October 12-14, 2000, Lyon, France, pp. 375-380. |
| PMZ | AAA | V.K. Mathews, "Effect of Processing Conditions on the Surface Morphology of Thin Polysilicon Films Used for DRAM Cell Capacitors," Phase Transformation Kinetics in Thin Films, Materials Research Society Proc. Vol. 230, 1992, pp. 207-212. |
| RNR | ABB | H. Watanabe, N. Aoto, S. Adachi, and T. Kikkawa, "Device Application and Structure Observation for Hemispherical-grained Si," J. Appl. Phys. 71, no. 7, April 1, 1992, pp. 3538-43. |
| PMZ | ACC | H. Watanabe, A. Sakai, T. Tatsumi, and T. Niino, "Hemispherical Grain Silicon for High Density DRAMS," Solid State Technology, July 1992, pp. 29-33. |
| PNR | ADD | E.G. Lee and S.K. Rha, "A Study of the Morphology and Microstructure of LPCVD Polysilicon," J. of Materials Sci. vol. 28, 1993, pp. 6279-6284. |
| PUR | AEE | A. Banerjee, R. L. Wise, D.L. Crenshaw, R.B. Khamankar, and H. Edwards, "Evolution of Texture and Microstructure in Rough Polycrystalline Silicon for Advanced DRAM Applications," Polycrystalline Thin Films - Structure, Texture, Properties and Applications, Materials Research Society Proc. Vol. 472, 1997, pp. 433-8. |
| Rup | AFF | P. Krulevitch, R.T. Howe, G.C. Johnson, and J. Huang, "Stress in Updoped LPCVD Polycrystalline Silicon," Proc. Of the International Conference on Solid-State Sensors and Actuators (Transducers '91), IEEE, pp. 949-952. |
| Pan | AGG - | P. Krulevitch, T.D. Nguyen, G.C. Johnson, R.T. Howe, H.R. Wenk, and R. Gronksy, "LCVD Polycrystalline Silicon Thin Films: The Evolution of Structure, Texture, and Stress," Evolution of Thin Film and Surface Microstructure, Materials Research Society Proc. Vol. 202, 1991, pp. 167-172. |

| Examiner Signature // Roupioni | Date Considered (22/2003 |
|---|---------------------------------------|
| EXAMINER: Initials citation considered. Draw line through citation if no next communication to applicant. | |
| | Substitute Disclosure Form (PTO-1449) |

| _ | Substitute Form PTO-1449 | U.S. Department of Commerce Patent and Trademark Office | Attorney's Docket No. 07043-103001 | Application No. 09/994,280 |
|---|--|--|------------------------------------|----------------------------|
| J | Generation Disclosure Statement by Applicant | | Applicant George M. Dougherty | |
| a | (Use several sheets if necessary) | Filing Date November 26, 2001 | Group Art Unit 2812 | |

| Other Documents (include Author, Title, Date, and Place of Publication) | | | | |
|---|--|--|--|--|
| Examiner | Desig. | | | |
| Initial . | ID | Document | | |
| Reul | АНН | P. Krulevitch, G. C. Johnson, and R.T. Howe, "Stress and Microstructure in Phosphorous Doped Polycrystalline Silicon," Smart Materials Fabrication and Materials for Micro-Electro-Mechanical Systems, Materials Research Society Proc. Vol. 276, 1992, pp. 79-84. | | |
| RAVE | AII | C. L. Yu, P.A. Flynn, S. H. Lee and J.C.Bravman, "Stress and Microstructural Evolution of LPCVD Polysilicon Thin Films During High Temperature Annealing," Thin Films - Structure and Morphology, Materials Research Society Proc. Vol. 441, 1997, pp. 403-8. | | |
| RAVR | AJJ G.L. Olson and J.A. Roth, "Kinetics of Solid Phase Recrystallization in Amorphous Silic Sci. Reports, vol. 3, no. 1, June 1988 pp. 1-78. | | | |

Examiner Signature Date Considered

EXAMINER: Initials citation considered. Oraw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.